

Thiodan® 50WP

Insecticide

For Agricultural or Commercial Use Only

EPA REG. No. 279-1380 AA

EPA SLN NO.
MT-870002



FOR DISTRIBUTION
AND USE ONLY IN
MONTANA

EMERGENCY CALLS: 800-331-3148

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN
A MANNER INCONSISTENT WITH ITS LABELING.

CROP	PEST	RATE OF APPLICATION
Conifers (Grown as Christmas Trees)	Cooley Spruce Adelgid Douglas Fir Needle Midge	1 pound per 100 gallons of water

DIRECTIONS FOR USE:

Use 1 pound of Thiodan 50WP (1/2 pound active ingredient) per 100 gallons of water or 1/6 ounce per gallon. Apply in sufficient spray for thorough coverage. For air application, use 1 to 2 pounds of Thiodan 50WP (1/2 to 1 pound active ingredient) per acre in a minimum of 5 gallons of water.

For Cooley Spruce Adelgid:

Apply just prior, at, or just after bud break when Adelgids are still in the crawler stage. Application may also be made in the fall.

For Douglas Fir Needle Midge:

Application timing should be determined through the use of fly emergence cages. Adults usually emerge shortly before bud break. Instructions for using fly emergence cages can be obtained through the local extension office.

As a precaution, treat a few plants of each variety that are going to be sprayed for potential phytotoxicity problems before treating the whole acreage.

RESTRICTIONS:

Do not use this product through any type of irrigation system.

ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

PERSONAL PROTECTIVE EQUIPMENT AND REENTRY INTERVALS ON THIS 24C OR ON THE BASIC LABEL MUST BE FOLLOWED.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF PESTICIDE APPLICATION.

Code 190 3/94

24(c) Registrant:

FMC Corporation
Agricultural Chemical Group
1735 Market Street
Philadelphia, PA 19103



Thiodan is a registered trademark of Hoechst AG
FMC is a registered trademark of FMC Corporation
©1991 FMC Corporation

MT-870002